









SST SOUTH SEA TERMINAL CO.,LTD

SGS Report No.:	Customer:			Part No.:		
				13F2+2P-W-A-11.7-GF-PA-RD(WE)		
Title: M13 FEMALE SOLDER TYPE with PLASTIC NUT for CABLE						
Drawn By:Storm.Li	SCALE	SHEET	REV.	DWG NO.:	TOLERANCE	
Checked By:du	1:1	1/1	A	SST-110506-01	.x ±0.20 .xx ±0.10 .xxx ±0.05 .xxxx ±0.03 ANGULA ±1°	
Approved By:Tony	Third angle Projection				Units	mm
	General Dimesion Tolerance					



Rev	Revisions	Rev.Drawn	Date
A		Du	14/09/12*

SST SOUTH SEA TERMINAL CO.,LTD			
SGS Report No.:		Customer:	Part No.: 13F3+6P-W-B-11.7-GF-PA-BK
Title: M13 FEMALE SOLDER TYPE with PLASTIC NUT for CABLE (9A+3A)			
Drawn By: Storm.Li	SCALE 1:1	SHEET 1/1	REV. A
Checked By: du	DWG NO.: SST-110506-01		TOLERANCE .x ±0.20 .xx ±0.10 .xxx ±0.05 .xxxx ±0.03 ANGULA ±1°
Approved By: Tony	Thire angle Projection General Dimesion Tolerance		Units mm




1. MATERIAL :
 - 1-1. HOUSING : PBT ; COLOR : WHITE
 - 1-2. CONTACT : BRASS.
2. FINISH :
 - 2-1. CONTACT : SEE TABLE A
3. ELECTRICAL SPECIFICATION :
 - 3-1. Rated current : 10A & 3A
 - 3-2. Rated Voltage : 125V
 - 3-3. Water proof: IP67
4. Environmental :
 - 4-1. Operation Temperature : -20℃~85℃

TABLE A/表A

13M2+2P-W-A-GF-WE	GOLD FLASH
13M2+2P-W-A-N-WE	NICKEL PLATED
PART NO.	PLATED(CONTACT)

SST SOUTH SEA TERMINAL CO.,LTD	
SGS Report No.:	Customer: Part No.: 13M2+2P-W-A-GF(N)-WE
Title: M13 MALE SOLDER TYPE for CABLE	
Drawn By: Storm.Li	SCALE 1:1 SHEET 1/1 REV. A DWG NO.: SST-110506-01
Checked By: du	Thire angle Projection
Approved By: Tony	General Dimesion Tolerance
Units mm	
TOLERANCE	
.x ±0.20	
.xx ±0.10	
.xxx ±0.05	
.xxxx ±0.03	
ANGULA ±1°	




1. MATERIAL :
 - 1-1. HOUSING : PBT ; COLOR : WHITE
 - 1-2. CONTACT : BRASS.
2. FINISH :
 - 2-1. CONTACT : SEE TABLE A
3. ELECTRICAL SPECIFICATION :
 - 3-1. Rated current : 10A & 3A
 - 3-2. Rated Voltage : 125V
 - 3-3. Water proof: IP67
4. Environmental :
 - 4-1. Operation Temperature : -20℃~85℃


TABLE A/表A

13M2+2P-W-A-GF-WE	GOLD FLASH
13M2+2P-W-A-N-WE	NICKEL PLATED
PART NO.	PLATED(CONTACT)

SST SOUTH SEA TERMINAL CO.,LTD													
SGS Report No.:	Customer: Part No.: 13M2+2P-W-A-GF(N)-WE												
Title: M13 MALE SOLDER TYPE for CABLE													
Drawn By: Storm.Li	SCALE: 1:1 SHEET: 1/1 REV: A DWG NO.: SST-110506-01												
Checked By: du	Third angle Projection												
Approved By: Tony	General Dimension Tolerance												
<table border="1"> <tr> <th colspan="2">TOLERANCE</th> </tr> <tr> <td>.x</td> <td>±0.20</td> </tr> <tr> <td>.xx</td> <td>±0.10</td> </tr> <tr> <td>.xxx</td> <td>±0.05</td> </tr> <tr> <td>.xxxx</td> <td>±0.03</td> </tr> <tr> <td>ANGULA</td> <td>±1°</td> </tr> </table>		TOLERANCE		.x	±0.20	.xx	±0.10	.xxx	±0.05	.xxxx	±0.03	ANGULA	±1°
TOLERANCE													
.x	±0.20												
.xx	±0.10												
.xxx	±0.05												
.xxxx	±0.03												
ANGULA	±1°												



		<i>SST</i> <i>SOUTH SEA TERMINAL CO.,LTD</i>						
SGS Report No.:		Customer:			Part No.: 13M3+6P-W-B-N-BK			
							Title: M13 MALE SOLDER TYPE for CABLE (9A+3A)	
Drawn By: Storm.Li		SCALE	SHEET	REV.	DWG NO.:		TOLERANCE	
Checked By: du		1:1	1/1	A	SST-110506-01		.x	±0.20
Approved By: Tony		Thire angle Projection General Dimesion Tolerance				Units	.xxx	±0.10
						mm	.xxxx	±0.03
							ANGULA	±1°



SST		SOUTH SEA TERMINAL CO.,LTD			
Customer:		Part No.: 13F2+2P-W-A-11.7-P-2-GF-B-N			
Title: M13 FEMALE SOLDER TYPE for CABLE(10A+3A)					
SCALE	SHEET	REV.	DWG NO.:	TOLERANCE	
1:1	1/1	A	SST-110506-01	.x	±0.20
Thire angle Projection General Dimesion Tolerance				.xx	±0.10
				.xxx	±0.05
				.xxxx	±0.03
				ANGULA	±1°
				Units	
			mm		